DCMTK - Bug #1098

Harmonize directory for installation of CMake files between Posix and Windows

2023-12-13 09:01 - Marco Eichelberg

Status: New Start date: 2023-12-13 **Priority:** Due date: Normal Assignee: % Done: 0% Category: Library **Estimated time:** 0:00 hour Target version: 3.7.1+ Module: **CMake** Compiler: **Operating System:**

Description

During installation (make install), CMake creates and installs four files that are intended to allow a discovery of DCMTK from other CMake projects using find_package().

Currently, these files are installed in different locations on Posix and Windows platforms, for no obvious reason. The responsible code is in CMake/dcmtkPrepare.cmake:

```
if(UNIX)
  set(DCMTK_INSTALL_CMKDIR "${CMAKE_INSTALL_LIBDIR}/cmake/dcmtk")
elseif(WIN32)
  set(DCMTK_INSTALL_CMKDIR "cmake")
endif()
```

This should be harmonized, probably using the Posix/Unix choice of directory.

History

#1 - 2024-01-16 18:50 - Jörg Riesmeier

- Target version changed from 3.7.1+ to 3.6.9

#2 - 2024-06-26 10:10 - Jörg Riesmeier

- Target version changed from 3.6.9 to 3.7.1+

2025-09-06 1/1