

DCMTK - Feature #721

Inconsistent use of ERROR and FATAL logger in command line tools

2017-02-15 18:24 - Jörg Riesmeier

<b>Status:</b>	New	<b>Start date:</b>	2017-02-15
<b>Priority:</b>	Low	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Application	<b>Estimated time:</b>	0:00 hour
<b>Target version:</b>		<b>Compiler:</b>	
<b>Module:</b>			
<b>Operating System:</b>			
<b>Description</b>  Throughout the various DCMTK command line tools, sometimes the log level ERROR and sometimes the level FATAL is used for reporting an error that results in a termination of the program, e.g. when the input file could not be read. This is also true for different tools in the same module, e.g. within "dcmdata".  This mess should be cleaned up, i.e. "harmonized".			
<b>Related issues:</b> Related to DCMTK - Feature #897: Consistent use of FATAL and ERROR log messag... <div>New2019-09-12</div>			

History

- #1 - 2022-06-24 12:48 - Jörg Riesmeier  
- Related to Feature #897: Consistent use of FATAL and ERROR log messages in command line tools added
- #2 - 2022-06-24 12:49 - Jörg Riesmeier  
Also some tools output the name of the tool to the logger, e.g. on log level ERROR and/or FATAL, others do not. This should also be made more consistent.